VIRGINIA ICE MACHINE CLEANER

Material Safety Data Sheet

SECTION I - COMPANY IDENTIFICATION

PRODUCT: VIRGINIA ICE MACHINE CLEANER CAT. NO.: H417, H418, H419

 MANUFACTURED BY:
 TELEPHONE NUMBERS:

 Virginia KMP Corporation
 Office: 1-(214) 330-7731

 4100 Platinum Way
 Emergency Only: 1-(800) 424-9300

SECTION II - HAZARDOUS INGREDIENTS

OSHA Hazardous Components (29 CFR 1910.1200) EXPOSURE LIMITS: 8 HR. TWA

OSHA PEL ACGIH TLV

Phosphoric acid (CAS# 7664-38-2) 1 mg/m³ 1 mg/m³

STEL 3 mg/m³ STEL 3 mg/m³

SECTION III - HAZARDS IDENTIFICATIONS

EMERGENCY OVERVIEW: DANGER! Corrosive to all body tissues. Causes destruction of eye and skin tissue. Harmful if inhaled or swallowed.

POTENTIAL HEALTH EFFECTS:

Dallas, Texas 75237

INHALATION: Corrosive to respiratory passages. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea.

EYE CONTACT: Immediate irritation and burning followed by destruction of eye tissue.

SKIN CONTACT: Immediate irritation and burning followed by destruction of skin tissue. Moderately toxic when absorbed through skin.

Aggravates pre-existing skin disorders.

INGESTION: Corrosive to gastrointestinal tract. May cause nausea, vomiting, loss of consciousness.

CHRONIC Effects: Kidney and liver damage possible.

NOTE:

CARCINOGENICITY: LISTED IN NTP? No IARC? No OSHA Regulated? No

SECTION IV - FIRST AID MEASURES

INHALATION: Remove victim to fresh air and, if needed, immediately begin artificial respiration. Give oxygen if breathing is labored. Get

emergency medical help. Contact a physician immediately.

EYE CONTACT: Flush eyes with water for 15 minutes. Get medical attention if symptoms develop and persist.

SKIN CONTACT: Flush with water or soap and water for 15 minutes or until all traces have been removed. Seek medical attention if symptoms develop

and persist.

INGESTION: Do not induce vomiting. Rinse mouth out with water. Get immediate medical attention.

SECTION V - FIRE FIGHTING MEASURES

FLASHPOINT (TEST METHOD): NA

FLAMMABLE LIMITS: LOWER: NA UPPER: NA

AUTOIGNITION TEMPERATURE: NE

GENERAL HAZARD:

FIRE FIGHTING INSTRUCTIONS: Approach fire from upwind side. Avoid breathing smoke, fumes, mist, or vapors on the downwind side.

Firefighters wear protective clothing and self contained breathing apparatus.

EXTINGUISHING MEDIA: Dry powder, carbon dioxide (CO_2) , water fog or spray. **HAZARDOUS COMBUSTION PRODUCTS:** Smoke, CO, CO₂, toxic fumes of PO_x

SECTION VI - ACCIDENTAL RELEASE MEASURES

LAND SPILL: Emergency response coordinator must have mandated training. Eliminate all ignition sources. SMALL SPILLS: Pick up with

absorbent materials and place in non-leaking containers; seal tightly for proper disposal or reuse. LARGE SPILLS: Evacuate the hazard area of unprotected personnel. Wear appropriate respirator and protective clothing. Shut off source of leak if safe to do so.

Dike and contain. Remove with vacuum trucks or pump to storage/salvage vessels.

WATER SPILL: Notify proper authorities.

Clean up spills/leaks immediately to prevent soil or water contamination.

SECTION VII - HANDLING AND STORAGE

HANDLING: Always add acid to water; never water to acid. Avoid contact with skin, eyes, and clothing. After handling this product, wash hands

before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown in

section IV. Launder contaminated clothing before reuse.

STORAGE: Store away from caustic / alkalies.

VIRGINIA ICE MACHINE CLEANER

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust recommended.

PERSONAL PROTECTION: Use NIOSH approved respirator, chemical impervious gloves, chemical goggles or full face shield. Use boots, aprons,

drench showers, eye wash as needed for protection against spills and/or splashes.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

VAPOR PRESSURE (Air=1): 0.3 mmHg

VAPOR DENSITY (Air=1): ND **SPECIFIC GRAVITY: 1.6** EVAPORATION RATE (N-BUTYL ACETATE=1): ND

SOLUBILITY IN WATER: Soluble

VOC (G/L): 0 FREEZING POINT:

pH: 1 - 2

BOILING POINT: >266 F

APPEARANCE & ODOR: Clear colorless liquid

SECTION X - STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: High temperatures.

Alkaline materials, caustics. MATERIALS TO AVOID:

HAZARDOUS DECOMPOSITION PRODUCTS: From combustion: smoke, CO, CO₂, PO_x

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION XI - TOXICOLOGICAL INFORMATION

LDLo: Phosphoric acid 220 mg/kg (unr - man) LD50: 1530 mg/kg (oral - rat)

LD50: 2740 mg/kg (skin - rat)

SECTION XII - ECOLOGICAL INFORMATION

Dangerous to aquatic life in high concentrations. Phosphoric acid 138 ppm / 24 hr. / mosquito fish / TLm / fresh water

SECTION XIII - DISPOSAL CONSIDERATIONS

Dispose as hazardous waste. Classification and documentation is required before disposal. Follow all local, state and federal regulations.

SECTION XIV - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Phosphoric Acid, 8, UN 1805, PG III

HAZARD CLASS: IDENTIFICATION NUMBER: UN 1805 DOT Emergency Guide #: 154

465 gallons (phosphoric acid) Reportable Quantity (RQ):

International: Phosphoric Acid, 8, UN 1805, PG III, IMDG 8204

SECTION XV - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act): Components of this product are listed on the TSCA Inventory.

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act):

The reportable quantity is 465 gallons (phosphoric acid). Contact local authorities for other reporting requirements.

SARA TITLE III (Superfund Amendments and Reauthorization Act):

Section 313

Phosphoric Acid CAS# 7664-38-2 70 - 80%

CALIFORNIA PROPOSITION 65: Not listed.

SECTION XVI - OTHER INFORMATION

State Right-to-Know Programs: NJ, MA, PA

NFPA Ratings

Health: 2 Flammability: 0

Reactivity: 0

HMIS Protective Equipment: X See your supervisor

Prepared by: Virginia KMP Corporation

sheet related only to specific material designated herein. Virginia KPM assumes no legal responsibility for use or reliance upon these data.